AMENDED

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

NEVADA	HERETOFORE APPROPRIATED
Date of filing in State Engineer's Of	ficeNOV 13 2001
Returned to applicant for correction	DEC 10 2001
Corrected application filed.	FEB 04 2002
Map filed	DEC 18 1997 under 63643
	****** General Improvement District hereby makes application for diversion and place of use. of water heretofore appropriated ***********************************
1. The source of water is Undergro	und
2. The amount of water to be change	ed .4206 cfs, 55.75 AFA
3. The water to be used for Quasi-N	Aunicipal
4. The water heretofore permitted for	or Quasi-Municipal
	following point SE¼ NW¼ Section 2 T.17N., R.23E., MDM, orner of said Section 2 bears North 29°31'49" East, 2268.29
4.	f diversion is located within SW¼ NW¼ Section 2, T.17N. om which the W¼ corner of said Section 2 bears south 45°
7. Proposed place of use See Attack	ned
<u> </u>	tions 1, 2, 3 and 4, N½ Section 9, N½ Section 10, N½ Section . All of Sections 33, 34, 35 and 36 of T.18N., R.23E., MDM.
9. Use will be from January 1 to D	December 31 of each year.
10. Use was permitted from Januar	ry 1 to December 31 of each year.
11. Description of proposed works	Drilled well pump and distribution system.
12. Estimated cost of works Existing	ng
13. Estimated time required to congravel packed 100' seal 75 hp mo	nstruct works Existing -> 12" 0 well 738 feet deep ease and tor
14. Estimated time required to com	plete the application of water to beneficial use 10 years
15. Remarks: Water being trans under Permit 63643 for proposed	ferred to SGID's central well. Please refer to the map filed P.O.D. and P.O.U.
Ву	Jack Norberg, P.E. Harding ESE s/Jack W. Norberg 1572 E. College Parkway, Suite 162

Compared cmf/ cam lb/cmf

Protested_______

Carson City, NV 89706

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 61769 is issued subject to the terms and conditions imposed in said Permit 61769 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 56540, Certificate 14701; 57841, 58067, 61078, 62517, 62518, 62869, 63643, 68189, 68190, 68191 and 68192 shall not exceed 230.39 million gallons annually.

The permittee shall report to the State Engineer on a quarterly basis the effect of pumping the well under this permit on other previously existing wells that are located within 2,500 feet of the well under this permit.

Any pumping of water under this permit may be limited or prohibited to prevent any unreasonable adverse effects on an existing domestic well located within 2,500 feet of the well under this permit, unless the holder of this permit and the owner of the domestic well have agreed to alternative measures that mitigate adverse effects.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

Degraphic Land

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed <u>0.4206</u> cubic feet per second, <u>but</u> not to exceed 18.17 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before: N/A

Water must be placed to beneficial use on or before: **February 21, 2013**

Proof of the application of water to beneficial use shall be filed on or before:

March 21, 2013

Map in support of proof of beneficial use shall be filed on or before: N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 21st day of February, A.D. 2003

State Engineer

Completion of work filed	April 18,	1997	under	62517	145	
Proof of beneficial use filed						
Cultural map filed	N/A					
Certificate No.	Issued					•

).

Item #7 - Proposed Place of Use

All of Sections 30 and 31, T.18 N., R.24 E.; all of Section 6, T.17 N., R.24 E.; all of Sections 25, 26, 27, 28, 32, 33, 34, 35, 36, and portions of Sections 29, 30, and 31 which lie within Lyon County, T.18 N., R.23 E.; all of Sections 1 through 5, 7 through 30 and 33, the portion of Section 6 which lies within Lyon County, and portions of Sections 31, 32, 34, 35, and 36 which lie north of the Carson River, T.17 N., R.23 E.; portions of Sections 3 through 5 which lie north of the Carson River, T.16 N., R.23 E.; portions of Sections 1 and 12 which lie within Lyon County, all of Sections 13, 24, and 25, and the portion of Section 36 which lies north of the Carson River, T.17 N., R.22 E., MDM.

